

**CITY OF JAMESTOWN
102 3RD AVENUE SE
JAMESTOWN ND 58401
PHONE: 701-252-5900
FAX: 701-252-5903**

**ADVERTISEMENT FOR BIDS
ONE (1) NEW TWO (2) STAGE SNOW BLOWER
STREET DEPARTMENT**

NOTICE IS HEREBY GIVEN, that sealed bids, for the purchase of ONE (1) NEW TWO (2) STAGE SNOW BLOWER for the City of Jamestown Street Department, will be received by the City Council of the City of Jamestown at the office of the City Administrator until 1:15 p.m., Tuesday, July 11, 2017, at which time, or as soon thereafter as possible, all bids will be opened and read publicly.

Bids must be based upon the specifications on file in the office of the City Engineer. Copies of the bid forms may be examined or obtained from the City of Jamestown website www.jamestownnd.org, or upon request in the office of the City Engineer

A bidder's bond, certified check, cashier's check, or cash, in the amount of 5% of the bid, made payable to the City of Jamestown, must be included in a **SEPARATE ENVELOPE THAT IS ATTACHED UPON THE OUTSIDE OF THE SEALED BID ENVELOPE**, AND if bidder is awarded the bid, said bidder must supply a performance bond within ten (10) days of the award in the amount of the total bid. There shall be endorsed upon the outside of the sealed envelope containing the bid the following words, **BID FOR ONE NEW TWO (2) STAGE SNOW BLOWER**, and bidder's name and business address.

The City Council of the City of Jamestown, North Dakota, reserves the right to reject any or all bids, to waive any irregularities, and to hold all bids until the next regularly scheduled Council meeting.

Jeff Fuchs, City Administrator

PUBLISH: Legal Ad – June 24 & July 1, 2017

GENERAL PROVISIONS

The Bidder shall include all available literature, guarantees, and warranties for the unit bid, with the bid proposal.

The Bidder shall complete the specification checklist and submit it with the bid proposal, for each unit bid.

The trade-in unit is a 1995 Sno-Go from Klauer MFG Co. Model #MP3594, Serial # 45011433 with approximately 1556 hours. This unit may be viewed by appointment with Daryl Saxberg, Street Department Mechanic, phone 701-252-4221.

A bidder's bond, certified check, cashier's check, or cash, in the amount of 5% of the bid, made payable to the City of Jamestown, must be included in a **SEPARATE ENVELOPE THAT IS ATTACHED UPON THE OUTSIDE OF THE SEALED BID ENVELOPE**, AND if bidder is awarded the bid, said bidder must supply a performance bond within ten (10) days of the award in the amount of the total bid. There shall be endorsed upon the outside of the sealed envelope containing the bid the following words, **BID FOR ONE NEW TWO (2) STAGE SNOW BLOWER**, and bidder's name and business address.

All bids will be considered in relation to value and price. Low bid will not automatically be considered as best. Any bid may be rejected as being irregular or non-responsive due to alteration of form, if conditional or incomplete, or if the bid contains language reserving the bidders' "right" to accept or reject a contract awarded to him.

SPECIFICATIONS CHECKLIST

- 1) Indicate COMPLIANCE by circling either a YES or NO answer.
- 2) A "YES" answer indicates 100 % compliance with the DESCRIPTION and SPECIFICATION. The equipment bid is allowed to meet or exceed the stated DESCRIPTION and SPECIFICATION, unless otherwise quantified and detailed on a separate sheet of paper.
- 3) A "NO" answer requires a written explanation in detail on a separate sheet of paper that clearly references the relevant non-conforming item(s).

GENERAL MACHINE CONFIGURATION

Power Train & Engine

Engine to meet emission standards	YES	NO
6 cylinder turbo charged diesel engine (Prefer Cummins 6 CT 8.3)	YES	NO
200 h.p., minimum	YES	NO
Heavy duty dry type air cleaner.	YES	NO
Air intake to be within engine housing to insure warm air will be passing through filters. Full flow replaceable oil filter.	YES	NO
Heavy duty 12 volt electric starting system with remote control mounted in loader cab.	YES	NO
Tachometer with the indicator mounted in the loader cab where it may be readily observed by the operator.	YES	NO
Engine mounted limiting speed governor.	YES	NO
Hourmeter.	YES	NO
Fuel capacity to be at least 45 gallons.	YES	NO
Radiator of factory approved size.	YES	NO
Heavy duty over center type clutch.	YES	NO
Auger drive chain, #100	YES	NO

Shear pins for augers and fan shall be replaceable by operator using common tools. Shear pins will not shear under full engine horsepower in snow without entry of foreign objects.	YES	NO
---	-----	----

Discharge Chute

Three (3) stage telescoping minimum.	YES	NO
--------------------------------------	-----	----

240 degree minimum horizontal rotation (120 each way from forward center).	YES	NO
--	-----	----

Chute to be capable of loading vehicle with side-boards not less than 9 feet above the surface.	YES	NO
---	-----	----

Hydraulics operated with controls mounted in loader cab.	YES	NO
--	-----	----

Miscellaneous

All rotary blower controls and indicators to be located in the loader cab so as to be easily accessible and visible to the operator. All controls and switches shall be legibly and permanently labeled and illuminated. Controls must have quick connect to instrument panel. The control cable shall be provided with a junction box mounted on loader arms with quick disconnect.	YES	NO
--	-----	----

Blower Assembly

Two stage rotary.	YES	NO
-------------------	-----	----

First stage to consist of 2 augers. One bottom auger schedule 80, top 2-schedule 40 steel tube.	YES	NO
---	-----	----

Second stage discharge impeller to be a minimum of 35" diameter with 5 replaceable blades, minimum.	YES	NO
---	-----	----

First stage to mechanically feed snow to second stage.	YES	NO
--	-----	----

48" minimum cutting height.	YES	NO
-----------------------------	-----	----

Two cutter bars (one on each side) securely attached to give a total height of 77".	YES	NO
---	-----	----

99" minimum cutting width.	YES	NO
----------------------------	-----	----

1400 ton/hr minimum capacity (snow weight of 25#/cubic foot).	YES	NO
---	-----	----

150 foot minimum casting distance.	YES	NO
------------------------------------	-----	----

Lower cutting edge to be equipped with a replaceable scraper blade.	YES	NO
---	-----	----

Adjustable height shoe carriers:

- replaceable wearing shoes of not less than 200 square inches,
 - rectangular shape,
 - two minimum-one on each side of rotor head,
- | | | |
|--|-----|----|
| | YES | NO |
|--|-----|----|

Coupler

Supplier shall provide a coupler to match the City's new loader.	YES	NO
--	-----	----

Balderson type or style on newest loader.	YES	NO
---	-----	----

**BID PROPOSAL
NEW TWO (2) STAGE SNOW BLOWER
CITY OF JAMESTOWN - STREET DEPARTMENT**

MAKE _____ MODEL _____

Net Bid - **NO TRADE-IN** \$ _____

TRADE-IN (1995 Sno-Go from Klauer MFG Co.) Model #MP3594

\$ _____

Net Bid – **WITH TRADE-IN** \$ _____

Warranty Description _____

ANTICIPATED DELIVERY DATE _____

Dated this _____ day of _____, 2017.

Company _____

By _____

Title _____

Address _____

City _____ State _____ Zip _____ Phone: _____

Email Address _____

NOTE:

A bidder's bond, certified check, cashier's check, or cash, in the amount of 5% of the bid, made payable to the City of Jamestown, **must be included** in a SEPARATE ENVELOPE THAT IS ATTACHED UPON THE OUTSIDE OF THE SEALED BID ENVELOPE, AND if bidder is awarded the bid, said bidder must supply a performance bond within ten (10) days of the award in the amount of the total bid.

There shall be endorsed upon the outside of the sealed envelope containing the bid the following words, **BID FOR ONE NEW TWO (2) STAGE SNOW BLOWER**, and bidders name and business address.